



- ✓ XZS 95
- ✓ XZS 125
- ✓ XZS 150
- ✓ XZS 165



XZS


Series

XZS系列型号说明
XZS series model description



XZS 95 Serices

ZL-XZS-95-400-120



牵引电机参数
Parameter list of traction motor


类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	11.95
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65

牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	150							
最大速度 Maximum velocity	M/min	70.7	56.5	45.2	40.4	32.3	28.3	22.6	16.1
牵引力 Traction	N	304.8	381.0	476.3	450.0	495.0	450.0	495.0	322.5
牵引重量 Traction weight	参考 Reference	579.1	723.9	904.9	855.0	940.5	855.0	940.5	612.8

XZS 95 Serices

ZL-XZS-95-400-140



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	10.6
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65


牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	300							
最大速度 Maximum velocity	M/min	82.4	65.9	52.8	47.1	37.7	33.0	26.4	18.8
牵引力 Traction	N	261.3	326.6	408.2	385.7	424.3	385.7	424.3	276.4
牵引重量 Traction weight	参考 Reference	496.4	620.5	775.6	732.9	806.1	732.9	806.1	525.2

XZS 125 Serices

ZL-XZS-125-400-150

SZX



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	11.95
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65


牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	300							
最大速度 Maximum velocity	M/min	88.3	70.7	56.5	50.5	40.4	35.3	28.3	20.2
牵引力 Traction	N	243.8	304.8	381	360	396	360	396	258
牵引重量 Traction weight	参考 Reference	463.3	579.1	723.9	684	752.4	684	752.4	490.2

XZS 125 Serices

ZL-XZS-125-400-160

SZX



牵引电机参数
Parameter list of traction motor


类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	11.95
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65

牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	350							
最大速度 Maximum velocity	M/min	94.2	75.4	60.3	53.8	43.1	37.7	30.1	21.5
牵引力 Traction	N	228.6	285.8	357.2	337.5	371.3	337.5	371.3	241.9
牵引重量 Traction weight	参考 Reference	434.3	542.9	678.7	641.3	705.4	641.3	705.4	459.6

XZS 125 Serices

ZL-XZS-125-750-150



牵引电机参数

Parameter list of traction motor


类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	750
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	22.4
额定扭矩 Rated Torque	N·m	2.39
防护等级 Protection level	IP	65

牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	96	96	105	96	105	96	105	71.5
聚氨酯承重 Polyurethane load-bearing	Kg	300							
最大速度 Maximum velocity	M/min	88.3	70.7	56.5	50.5	40.4	35.3	28.3	20.2
牵引力 Traction	N	458.9	573.6	717	803	1003.8	1147.2	1260	858
牵引重量 Traction weight	参考 Reference	871.9	1090	1362.3	1525.8	1907.2	2179.7	2394	1630.2

XZS 125 Serices

ZL-XZS-125-750-160



牵引电机参数

Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	750
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	22.4
额定扭矩 Rated Torque	N·m	2.39
防护等级 Protection level	IP	65


牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	96	96	105	96	105	96	105	71.5
聚氨酯承重 Polyurethane load-bearing	Kg	350							
最大速度 Maximum velocity	M/min	94.2	75.4	60.3	53.8	43.1	37.7	30.1	21.5
牵引力 Traction	N	430.2	537.8	672.2	752.9	941.1	1075.5	1181	804.4
牵引重量 Traction weight	参考 Reference	817.4	1022	1277.2	1430.4	1788	2043.5	2244	1528.3

XZS 150 Serices

ZL-XZS-150-400-180

SZX



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	11.95
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65

牵引减速机参数
Parameter table of traction reducer


类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	400							
橡胶承重 Rubber bearing	Kg	300							
最大速度 Maximum velocity	M/min	106	84.8	67.8	60.6	48.4	42.4	33.9	24.2
牵引力 Traction	N	203.2	254	317.5	300	330	300	330	215
牵引重量 Traction weight	参考 Reference	386.1	482.6	603.3	570	627	570	627	408.5



XZS 150 Serices

ZL-XZS-150-400-200

SZX



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	400
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	11.95
额定扭矩 Rated Torque	N·m	1.27
防护等级 Protection level	IP	65


牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	30	30	33	30	33	30	33	21.5
聚氨酯承重 Polyurethane load-bearing	Kg	450							
橡胶承重 Rubber bearing	Kg	350							
最大速度 Maximum velocity	M/min	117.8	94.2	75.4	67.3	53.8	47.1	37.7	26.9
牵引力 Traction	N	182.9	228.6	285.8	270	297	270	297	193.5
牵引重量 Traction weight	参考 Reference	347.5	434.3	542.9	513	564.3	513	564.3	367.7



XZS 150 Serices

ZL-XZS-150-750-180



牵引电机参数

Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	750
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	22.4
额定扭矩 Rated Torque	N·m	2.39
防护等级 Protection level	IP	65




牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	96	96	105	96	105	96	105	71.5
聚氨酯承重 Polyurethane load-bearing	Kg	400							
橡胶承重 Rubber bearing	Kg	300							
最大速度 Maximum velocity	M/min	106	84.8	67.8	60.6	48.4	42.4	33.9	24.2
牵引力 Traction	N	382.4	478	597.5	669.2	836.5	956	1050	715
牵引重量 Traction weight	参考 Reference	726.6	908.2	1135.3	1271.5	1589.4	1816.4	1995	1358.5

XZS 150 Serices

ZL-XZS-150-750-200



牵引电机参数

Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	750
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	22.4
额定扭矩 Rated Torque	N·m	2.39
防护等级 Protection level	IP	65





牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	96	96	105	96	105	96	105	71.5
聚氨酯承重 Polyurethane load-bearing	Kg	450							
橡胶承重 Rubber bearing	Kg	350							
最大速度 Maximum velocity	M/min	117.8	94.2	75.4	67.3	53.8	47.1	37.7	26.9
牵引力 Traction	N	344.2	430.2	537.8	602.3	752.9	860.4	945	643.5
牵引重量 Traction weight	参考 Reference	653.9	817.4	1021.7	1144.3	1430.4	1634.8	1795	1222.7

XZS 165 Serices

ZL-XZS-165-1500A-220

SZX



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	1500
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	39
额定扭矩 Rated Torque	N·m	4.77
防护等级 Protection level	IP	65



牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	250	250	264	250	264	250	264	177
聚氨酯承重 Polyurethane load-bearing	Kg	1120							
最大速度 Maximum velocity	M/min	129.5	103.6	82.9	74	59.2	51.8	41.4	29.6
牵引力 Traction	N	624.4	780.5	975.7	1092.8	1366	1561.1	1951.4	1448.2
牵引重量 Traction weight	参考 Reference	1186.4	1483	1853.8	2076.3	2595.3	2966.1	3707.6	2751.5

XZS 165 Serices

ZL-XZS-165-1500A-250

SZX



牵引电机参数
Parameter list of traction motor

类型 Type	DC	伺服电机 Servo motor
电机功率 Motor power	W	1500
电机电压 Motor voltage	V	48
电机转速 Motor speed	rpm	3000
电机电流 Motor current	A	39
额定扭矩 Rated Torque	N·m	4.77
防护等级 Protection level	IP	65

牵引减速机参数
Parameter table of traction reducer

类型 Type	X	行星减速机 Planetary reducer							
减速机速比 Speed ratio of reducer	i	16	20	25	28	35	40	50	70
减速机扭矩 Reducer torque	N·m	250	250	264	250	264	250	264	177
聚氨酯承重 Polyurethane load-bearing	Kg	1150							
橡胶承重 Rubber bearing	Kg	750							
最大速度 Maximum velocity	M/min	147.2	117.8	94.2	84.1	67.3	58.9	47.1	33.6
牵引力 Traction	N	549.5	686.9	858.6	961.6	1202	1373.8	1717.2	1274.4
牵引重量 Traction weight	参考 Reference	1044.1	1305.1	1631.3	1827.1	2283.9	2610.1	3262.7	2421.4

